



Tank fire engine



Data sheet



Feuerwehrtechnik Berlin

Tabbertstraße 12 A

12459 Berlin

Tel. 030-530 177 56

MAN 12.232 TLF 16/25
4X4, TWIN TIRES
WATER TANK 2,600 LITERS



Data sheet/ vehicle description

TLF 16/25 ON MAN 12.232



Chassis

- MAN 12.232
- Year of construction: 1996
- Engine power: 232 hp (170 kW)
- Fuel: Diesel
- Gearbox: Manual gearbox
- 4x4, twin tires
- Mileage: ≈ 97,000 km

Structure

- Roof: walkable/slip-resistant
- Traffic safety system
- Warning markings
- Contour marking

Cabin

- MAN crew cab Crew (1 + 1 + 4)
(extension to group possible)
- Crew compartment with 2 SCBA holders
- RAL 3000 fire red
- Plug assignment: 12V/24V
- Auxiliary heater

Lighting

- Perimeter lighting
- Equipment room lighting
- Pump room lighting
- Cabin lighting
- Roof lighting
- Auxiliary headlights
- Light mast

Pump

- Normal pressure: 2,400 l/min at 10 bar
- 250 L/min at 40 bar

Data sheet/ vehicle description

TLF 16/25 ON MAN 12.232



Equipment rooms

- 3 equipment compartments each (left and right)
- 1 pump compartment (rear)
- Generous storage space
- Secure fastening of the load

Special signal system

- 2 blue rotating beacons
- Front flasher on the hood
- Rotating beacon on the rear body
- Martins horn signal system

Further equipment

- Rapid intervention device > with 50 m dimensionally stable hose
- Hygiene board on request
- Load retention
- Ambient lighting
- Illuminated controls
- Reversing camera on request

Data sheet

Pictures



Feuerwehrtechnik Berlin

Tabbertstraße 12 A

12459 Berlin

Tel. 030-530 177 56



Data sheet

Pictures



Feuerwehrtechnik Berlin

Tabbertstraße 12 A

12459 Berlin

Tel. 030-530 177 56





Offer

MAN 12.232 TLF 16/25 with the following specifications:

Extinguishing water tank with a capacity of 2,600 liters

3 equipment compartments on each side of the vehicle.

The equipment compartments are lowered and closed in the lower part closed by side wall flaps, which also serve as steps.

FP 2400/10 bar centrifugal fire pump with high pressure,

50 m rapid intervention hose on reel in G6.

Light mast with **2x 1000W** floodlights,

manually extendable to a minimum light point height of 5.5 m above the ground.

Compliance with the applicable UVV, standards and STVZO as well as all applicable regulations.

We attach great importance to **professionalism** and first-class **customer service**.

We install your appliances where you have always wanted them.

Furthermore, we are happy to adapt your existing load to the new vehicle.

But we also look forward to your further wishes.

Our premium vehicles receive: a complete inspection
(incl. oil change, filter change, pump check)
as well as a current TÜV and SP inspection.

Just like the fire department, we are always available for questions and suggestions.

You are cordially invited to a test drive and inspection in Berlin.
If you are traveling by train or plane, we will of course pick you up.

We look forward to hearing from you.

Feuerwehrtechnik Berlin

